

MATERIAL SAFETY DATA SHEET

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

PRODUCT : JESTER C > 5 GAL DR

0122BE

Sanolite Corporation

26 Papetti Plaza Elizabeth NJ 07207-0818 (800) 221-0806

1.0 IDENTIFICATION

- | | | |
|-----|---------------|------------------------------------|
| 1.1 | PRODUCT NAME: | JESTER C > 5 GAL DR |
| 1.2 | PRODUCT TYPE: | MACHINE WAREWASHING DETERGENT,LIQ. |
-

2.0 HAZARDOUS COMPONENTS

- | | | |
|-----|---|--|
| 2.1 | : | SODIUM HYPOCHLORITE C.A.S. NO. 7681-52-9 |
| 2.1 | : | POTASSIUM HYDROXIDE C.A.S. NO. 1310-58-3 |

This product contains no other component considered hazardous according to the criteria of 29 CFR 1910.1200.

3.0 PHYSICAL DATA

- | | | |
|-------|----------------------|--|
| 3.1 | APPEARANCE AND ODOR: | PALE YELLOW LIQUID,WITH CHLORINE ODOR. |
| 3.2 | SOLUBILITY IN WATER: | COMPLETE |
| 3.3 | PH:: | APPROX.14 |
| 3.4 | BOILING POINT:: | >212 DEGR.F |
| 3.4 A | SPECIFIC GRAVITY: | N/A |
-

4.0 FIRE & EXPLOSION DATA

- | | | |
|-----|-----------------------------|---|
| 4.1 | FIREFIGHTING METHODS: | PRODUCT DOES NOT SUPPORT COMBUSTION. |
| 4.2 | FIRE AND EXPLOSION HAZARDS: | IF CONTAINERS SHOULD BURST DURING FIRE,AVOID CONTACT OF CONTENTS WITH EYES OR SKIN. |
| 4.3 | FLASH POINT: | NONE |
| 4.4 | FLAMMABLE LIMITS: | N/A |
| 4.5 | EXTINGUISHING MEDIA: | WATER, DRY CHEMICAL, FOAM OR CARBON DIOXIDE. |
-

5.0 REACTIVITY DATA

- | | | |
|-----|---------------------------|---|
| 5.1 | STABILITY: | STABLE UNDER NORMAL CONDITIONS OF HANDLING. |
| 5.2 | CONDITIONS TO AVOID: | EXCESSIVE HEAT. |
| 5.3 | INCOMPATIBILITY: | ACID MATERIALS. |
| 5.4 | HAZ.DECOMP.PROD: | CHLORINE |
| 5.5 | HAZARDOUS POLYMERIZATION: | WILL NOT OCCUR |
-

6.0 SPILL OR LEAK PROCEDURES/ USE PROPER PROTECTIVE EQUIPMENT

- | | | |
|-----|----------|--|
| 6.1 | CLEANUP: | ABSORB WITH INERT MATERIAL AND PLACE IN A CONTAINER FOR PROPER DISPOSAL.FLUSH SPILL AREA WITH WATER. |
|-----|----------|--|

MATERIAL SAFETY DATA SHEET

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

PRODUCT : JESTER C**> 5 GAL DR**

0122BE

Sanolite Corporation

26 Papetti Plaza Elizabeth NJ 07207-0818 (800) 221-0806

6.0 SPILL OR LEAK PROCEDURES/ USE PROPER PROTECTIVE EQUIPMENT

- 6.2 WASTE DISPOSAL: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

7.0 HEALTH HAZARD DATA

- 7.1 OVEREXPOSURE: MAY CAUSE SEVERE IRRITATION TO EYES, TO SKIN AND MUCOUS MEMBRANES.
- 7.1 A EYES: SEVERE IRRITANT
- 7.1 B SKIN: SEVERE IRRITANT
- 7.1 C IF SWALLOWED: INJURIOUS IF TAKEN INTERNALLY.
- 7.1 D IF INHALED: MAY CAUSE IRRITATION OF MUCOUS MEMBRANES.

8.0 FIRST AID

- 8.1 EYES: IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES, HOLDING LIDS APART TO ENSURE FLUSHING OF THE ENTIRE SURFACE. WASHING EYES WITHIN SEVERAL SECONDS IS ESSENTIAL TO ACHIEVE MAXIMUM EFFECTIVENESS. SEEK MEDICAL ATTENTION IMMEDIATELY.
- 8.2 SKIN: RINSE EXPOSED AREA WITH WATER CONTINUOUSLY FOR 15 MINUTES. IF BURNING PERSISTS GET MEDICAL ATTENTION.
- 8.3 IF SWALLOWED: DRINK A LARGE QUANTITY OF WATER OR MILK. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.
- 8.4 IF INHALED: REMOVE TO FRESH AIR
- CALL A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY**

9.0 SPECIAL PROTECTION INFORMATION

- 9.0 SPECIAL PROTECTION INFORMATION WHEN PROPERLY USED, THIS PRODUCT IS PLACED DIRECTLY INTO THE DISPENSER AND NO SPECIAL PROTECTION IS NECESSARY UNDER NORMAL USE CONDITIONS. THE FOLLOWING PROTECTION IS ADVISABLE IF EXPOSURE TO THIS PRODUCT OR ITS USE SOLUTION IS LIKELY.
- 9.1 RESPIRATORY:: AVOID BREATHING DUSTS OR MISTS OF THIS PRODUCT.
- 9.2 SKIN:: RUBBER GLOVES
- 9.3 EYE PROTECTION:: GOGGLES

UNK = Unknown at this time PEL = Permissible Exposure Limit
 TLV = Threshold Limit Value STEL = Short Term Exposure Limit
 C = Ceiling Limit, Not To Be Exceeded

MATERIAL SAFETY DATA SHEET

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

PRODUCT : JESTER C > 5 GAL DR 0122BE

Sanolite Corporation
26 Papetti Plaza Elizabeth NJ 07207-0818 (800) 221-0806

9.0 SPECIAL PROTECTION INFORMATION

- 9.4 OTHER PROTECTION EQUIPMENT:: RUBBER APRON
- 9.5 VENTILATION:: USE WITH ADEQUATE VENTILATION.

10.0

- 10.0 DO NOT GET IN EYES, ON SKIN, ON CLOTHING. DO NOT TAKE INTERNALLY. STORE IN A COOL, DRY AREA AWAY FROM ACIDS. KEEP CONTAINER CLOSED. WASH THOROUGHLY AFTER HANDLING.
- 10.1 D.O.T. CLASS: COMPOUND, CLEANING LIQUID (CONTAINS SODIUM METASILICATE), 8, NA1760, III
- 10.3 OTHER PRECAUTIONS: FOR INDUSTRIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN

The above information is believed to be correct with respect to the formula used to manufacture the product. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

UNK = Unknown at this time PEL = Permissible Exposure Limit
 TLV = Threshold Limit Value STEL = Short Term Exposure Limit
 C = Ceiling Limit, Not To Be Exceeded